

**RECEIVED
CENTRAL FAX CENTER
JAN 22 2006**

FACSIMILE COVER SHEET

TO: Mr. Fred Prince **FROM: Tom Steketee**
Primary Examiner Art Unit 1724 Applicant
U.S. Patent and Trademark Office Application No.: 10/708,924

TEL: (571) 272-1165 **TEL: (323) 874-8907**

FAX: (571) 273-8300 **FAX: (323) 375-0585**

DATE: January 21, 2006

Number of Pages Including This Cover Sheet (5)

**RECEIVED
CENTRAL FAX CENTER
JAN 22 2006**

Application No.: 10/708,924
Applicant: Thomas G. Steketee
Filed: April 1, 2004
Title: Anti-Spray Aquarium Airlift Tube Elbow
TC/A.U.: 1724
Examiner: Fred Prince
Customer No.: 33563

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

AMENDMENT

Dear Sir,

In response to the Office action of January 6, 2006, please refer to the attached correction in regard to the Amendments to the Claims that was filed on November 30, 2005.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 and continues through page 3 of this paper.

Remarks/Arguments begin on page 4 of this paper.